[19] The Patent Office of PRC

[11] Grant Announcement Number: CN2096371U

# [12] Specification of A Granted Patent Application for Utility Model

[21] Application No.: 91 2 08747.1

[45] Grant Announcement Date:

February 19, 1992

[51] Int. Cl <sup>5</sup>
A61M 5/00

[22] Filing Date: 05/22/1991

[71] Applicant: LI, Fuqing Address: Xi'an, China

Address. Aran, Cima

[74] Patent Agency:

Northwest University Patent Office

Agent: Jianshen Zhang

Sijun Wu

[72] Designer (s): LI, Fuqing

Claims: 3 page(s) Drawings: 1 page(s)

[54] Title of the Invention: Painless Automatic Syringes

[57] Abstract:

(Omitted)

[10] 中华人民共和國专利局

川公告号 CN 2096371U



## 四实用新型专利申请说明书

[21] 申请号 91208747.1

[51] Int.Cl<sup>5</sup> A61M 5/00

〔43〕公告日 1992年2月19日

[22]申请日 91.5.22

[71]申请人 李甫清

地址 710021 陕西省西安市未央区汉城医院

1721设计人 李甫清


7种种根理统构 西北大学专利事务所 代理人 张建申 第五思军

说明书页数: 3

附图页数: 1

154]实用新型名称 无痛自动注射枪 [57]摘要

本实用新型涉及一种医疗用无痛自动注射装 置。其特征是在枪身装有进针弹簧,针管架上安装有 推药弹簧和退针弹簧,它们分别由扳机(3)和扳机(4) 控制,针管架安装在枪身上,可沿枪身相对移动。而 且进针、退针、推药均由扳机控制。推动扳机、注射过 程可自进行,利用本注射枪注射,因可实现快速进针、 快速退針、使进針和退針速度超过了人的神经传导速 度,加之慢速推药,因而可以减轻或免除病人的疼痛, 而且进针深度和推药速度均可调节。



# The State Intellectual Property Office of the People's Republic of China Address: No. 6 Xitucheng Road, Haidian District, Beijing 100088, China

Zip Code: 100020		
China Sinda Intellectual Property Ltd.	Examiner:	
China Garment Mansion No. 99 Jianguo Road,	Qian XIONG	
Chaoyang District, Beijing 100020, China.		
Hongxia GU Denghe ZHU		

Application No:	00802224.0 Department and the type of Notification: 9-C		Date of Issuing:	
Applicant:	HARVEST TE	December 5, 2003		
Title of Invention:	APPARATUS I	FOR HOLDING AND OPERATING ONE OR MC	ORE SYRINGES	

### NOTIFICATION OF THE FIRST OFFICE ACTION

(for Entry of an International Patent Application into the National Phase)

☑ Applicant made the request for substantive examination. In accordance with the provisions of Paragraph 1 of Article 35 of the Patent Law, the Examiner has proceeded with the examination as to substance of the above-identified patent application for invention.					
☐ In accordance with initiative, decided to	the provisions of Paragraph 2 of Article 35 of the Patent Law, the Patent Office has, on its own proceed with the examination as to substance of the same.				
2.  Applicant claims					
October 8, 1999	when the previous application was filed withUS_, as a priority date;				
	when the previous application was filed with, as a priority date;				
,	when the previous application was filed with, as a priority date.				
B. ☐ For the reasons in Article 33 of the Pate	dicated in the text of this Action, the following documents submitted have been rejected under				
	nslation of the annex to the international preliminary examination report;				
☐ The Chinese tra	nslation of the amendments under Article 19 of PCT;				
	s under Article 28 or 41 of PCT;				
	s under Rule 51 of the Implementing Regulations of the Patent Law.				
	t of the OA in which the specific reason for refusing to accept the amendments is stated.				
4.□The application ha ☑The application h	as been examined on the basis of the translation of the originally filed international application; has been examined on the basis of the following documents:				
☑ Description,	pages <b>1-5</b> , as in the translation of the originally filed international application;				
	pages, as in the translation of the annex to IPER;				
	pages, as in the amendments under Article 28 or 41 of PCT;				
	pages, as in the amendments under Rule 51 of the Implementing Regulations.				
☑ Claims,	No, as in the translation of the originally filed international application;				
	No, as in the translation of the amendments under Article 19 of PCT;				
	No, as in the translation of the annex to IPER;				
	No, as in the amendments under Article 28 or 41 of PCT;				
	No. 1-12, as in the amendments under Rule 51 of the Implementing Regulations.				
☑ Drawings,	sheets 1-2, as in the translation of the originally filed international application;				
	sheets, as in the translation of the annex to IPER;				
	sheets, as in the amendments under Article 28 or 41 of PCT.				
	sheets , as in the amendments under Rule 51 of the Implementing Regulations.				

5. The following references are cited in the notification. The codes of the references will be used in further examination procedures:

		Publication Date
Code	Reference No. or Title	(or Filing Date of a Conflicting Application )
1	US5582596A	December 10, 1996
2	US5290259A	March 1, 1994
3	CN2096371U	February 19, 1992
4		

6. Conclusive opinion:
☑ regarding the Description
☐ Its content belongs to the scope of Article 5 of the Patent Law, which cannot be granted.
☐ It is not in conformity with the provisions of Paragraph 3 of Article 26 of the Patent Law.
☑ It is not in conformity with the requirements of Rule 18 of the Implementing Regulations.
☑ regarding the Claims:
☑ Claims 1-5, 7-12 do not possess novelty under Paragraph 2 of Article 22 of the Patent Law.
☐ Claimsdo not possess inventiveness under Paragraph 3 of Article 22 of the Patent Law.
☐ Claimsdo not possess practical applicability under Paragraph 4 of Article 22 of the Patent Law.
☐ Claimsfall in the scope of Article 25 of the Patent Law which cannot be granted.
☐ Claims do not meet the requirements of Paragraph 4 of Article 26 of the Patent Law.
☐ Claimsdo not meet the requirements of Paragraph 1 of Article 31 of the Patent Law.
Claims do not meet the requirement of Paragraph 1 of Rule 2 of the Implementing Regulations of the
China Patent Law.
☐ Claimsdo not meet the requirement of Paragraph 1 of Rule 13 of the Implementing Regulations of the China Patent Law.
☑ Claims 1, 11 do not meet the requirements of Rules 20-23 of the Implementing Regulations.
П
Please refer to the text of the Action in detail for the above.
The description to the form of the Patentin Control of the Control
7. Based on the above conclusive opinion, the Examiner points out that □ applicant should amend the application documents according to the requirements of the text of the Action. ☑ applicant should state the reason that the application may be granted a patent right in the observation and amend the application documents according to the teaching of the text of the Action, otherwise the application
may not be granted.  no substantive contents to be granted are presented in the application. If applicant does not submit his observation or the observation is not reasonable, the application will be rejected.
8. The following items shall come to applicant's attention:
( 1 ) According to Article 37 of the Patent Law, applicant should submit his observation within <u>4</u> months from the date he receives the notification. If, without any justified reasons, the time limit for making a response is not met, the application will be deemed to have been withdrawn.
( 2 ) The amendments to the application documents should meet the requirements of Article 33 of the Patent Law. The amended documents should be submitted in two copies and the amending manner should comply with the relevant regulations of the Examination Guide.
(3) The observation and / or amended documents should be mailed to or submitted directly to the Receiving Section of the Patent Office, and no other submissions have legal effects.
(4) Applicant and / or attorney may not have a meeting with the Examiner unless an appointment has been made in
advance.  9. The text of this Action consists of 3 pages, including the following annexes:  ☑ the cited references 32 pages, 3 copies.  □



## 

邮政编码: 100032

北京市西城区金融街 19 号富凯大厦 B 座 11 层中原信达知识产权代理有限责任公司

顾红霞

朱登河





L							J L	[		利甲目
	申	请号:	00802224.0	部门及通知书	·类型:	9C	发文日期	:	100 P. 10	Z
1	申	请人:			丰收	技术股份	有限公司	ľ	T 81 mg	F 5
ſ	发明	————— 月名称:		用于	保持和操	作一个或	多个注射器	—————————————————————————————————————		便能
-			<del></del>					/./ 17	夏	
					大审查请	•	th 45	- :		
	_				国家阶段	•		1004 -04- 2		
1.				根据专利法第 35						5审查。
•	_			勺规定, 国家知识	?产权局决定	自行对上达	比发明专利申	请进行审查	₹•	
2.	$\boxtimes$	申请人要求以			<del></del> <del></del>					•
٠.		US		局的申请日 <u>19</u>	99年10月					•
	•			号的申请日	<del></del>		<b>忙先权日</b> ,			
_		alabata taran		局的申请日			<b>亡先权日</b> ,			
3.		申请人于		日提交的修改				条的规定。		
	<u> </u>			不符合专利法第	33 条的规定	:,因而不能	能接受:			
	•		审查报告附件	的中乂垶乂。 ·条规定所提交的	. bb ¬L → /L bb	-L- \\ \				
	•	_		条规定所提交的 条或 41 条规定的						
			百年来约第 20	尔以 41 尔欢走点	71年文的形	义义行。				
		修改不能被接	受的具体理由	见通知书正文部名	分。				•	
4.		审查是针对原	始提交的国际	申请的中文译文证	<b>进行的。</b>					
	$\boxtimes$	审查是针对下:	述申请文件进	行的:						
		说明书	第 <u>1-5</u> 页,按	照原始提交的国	际申请文件	的中文译文	C;			
			第页,	按照国际初步审查	查报告附件的	的中文译文	;			
			第页,	按照依据专利合作	乍条约第 28	条或 41 条	规定所提交的	勺修改文件:	;	
			第页,	按照依据专利法实	实施细则第:	51 规定所提	₽交的修改文 ■	件。		
		权利要求	第项,	按照原始提交的国	国际申请文例	件的中文译:	文:			
			第项,	安照依据专利合作	作条约第 19	条规定所提	交的修改文	件的中文译	文。	
			第项,	安照国际初步审查	5报告附件的	9中文译文:	;			
				安照依据专利合作						
				按照依据专利法				文件。		
		附图	· · · · · · · · · · · · · · · · · · ·	照原始提出的国						
				安照国际初步审查						
			第页,打	安照依据专利合作	F条约第 28	条或 41 条	听提交的修改	5文件.		

第\_\_\_\_页,按照依据专利法实施细则第51条规定所提交的修改文件。



## 中华人民共和国国家知识产权局

	申请的内容属于专利法第5条规定的不投予专利权的范围。
	说明书不符合专利法第 26 条第 3 款的规定。
$\boxtimes$	说明书的撰写不符合专利法实施细则第 18 条的规定。
关于权	7利要求书:
$\boxtimes$	权利要求 1-5、7-12 不具备专利法第 22 条第 2 款规定的新颖性。
	权利要求不具备专利法第 22 条第 3 款规定的创造性。
	权利要求不具备专利法第 22 条第 4 款规定的实用性。
	权利要求属于专利法第 25 条规定的不授予专利权的范围。
	权利要求不符合专利法第 26 条第 4 款的规定。
	权利要求不符合专利法第 31 条第 1 款的规定。
	权利要求不符合专利法实施细则第 2 条第 1 款关于发明的定义的规定。
	权利要求不符合专利法实施细则第 13 条第 1 款的规定。
$\boxtimes$	权利要求 1、11 不符合专利法实施细则第 20 条至第 23 条的规定。

上述结论性意见的具体分析见本通知书的正文部分。

- 7 基于上述结论性意见, 审查员认为:
  - 申请人应按照通知书正文部分提出的要求,对申请文件进行修改。
  - ☑ 申请人应在意见陈述书中论述其专利申请可以被授予专利权的理由,并对通知书正文部分中指出的不符合规定之处 进行修改,否则将不能授予专利权。
  - 专利申请中没有可以被授予专利权的实质性内容,如果申请人没有陈述理由或者陈述理由不充分,其申请将被驳回。
- 8 申请人应注意下述事项:
  - (1) 根据专利法第 37 条的规定,申请人应在收到本通知书之日起的 <u>肆</u> 个月内陈述意见,如果申请人无正当理由逾期不答复,其申请将被视为撤回。
  - (2) 申请人对其申请的修改应符合专利法第 33 条的规定,修改文本应一式两份,其格式应符合审查指南的有关规定。
  - (3) 申请人的意见陈述书和/或修改文本应邮寄或递交给中国专利局受理处,凡未邮寄或递交给受理处的文件不具备 法律效力。
  - (4) 未经预约,申请人和/或代理人不得前来中国专利局与审查员举行会晤。
- 9. 本通知书正文部分共有 3 页, 并附有下述附件:
  - **三** 引用的对比文件的复印件共<u>3</u>份 <u>32</u>页。

### 第一次审查意见通知书正文

如说明书所述,该申请涉及一种用于保持和操作一个或多个注射器的装置。经审查,现提出如下审查意见。

(I)

1、独立权利要求 1 请求保护一种用于保持和操作一个或多个注射器的装置,在对比文件 1 中也公开了这样一种装置,其中(说明书第 4 栏第 27 行至第 6 栏第 12 行,图 1、10、11)披露了如下技术特征: 其中每个所述注射器都具有针筒部分(4)和柱塞(7),所述装置包括手柄(66)和在所述手柄一端的托架(10),该手柄具有一个配置为被使用者手掌握持的部分(66),所述托架被配置为可拆卸地容纳所述一个或多个注射器的单个注射器的一个所述针筒部分,使得所述托架横跨所述手柄部分延伸并且位于使得所述单个注射器的一个所述柱塞能够容易地被使用者拇指操作的位置。由此可见,权利要求 1 的技术方案已经在对比文件 1 公开,两者属于相同的技术领域,达到了相同的效果。因此,权利要求 1 不符合专利法第二十二条第二款有关新颖性的规定。

2、从属权利要求 2、4-5、7-10 的附加技术特征分别为"还包括夹子,所述夹子与至少两个所述注射器的柱塞的端部接合,并连接这些柱塞以便同时移动";"所述至少两个注射器中的每一个具有一输出端,其中输出物通过该输出端流动,并且所述至少两个注射器中的每一个还包括敷药器端头,其连接到各个注射器的输出端并容纳所述注射器的输出物";"所述手柄提供用于存放一个或多个所述夹子的空腔";"所述夹子包括间隔设置的前壁和后壁,它们形成槽以容纳柱塞的所述端部";"所述前壁或后壁被切开,以容纳注射器柱塞的轴""所述托架是半圆柱形的并由弹性材料制造,以便当所述针筒部分朝着所述手柄的方向被插入时,用于容纳所述注射器的所述针筒部分";"还包括适配器"。这些特征也在对比文件 1 中披露(说明书第 4 栏第 27 行至第 6 栏第 12 行,图 1、10、11 中的附图标记 16、20、17、18、19、66、67 等等)。因此当其引用的权利要求不具备新颖性时,权利要求 2、4-5、7-10 也不符合专利法第二十二条第二款有关新颖性的规定。

- 3、独立权利要求 11 请求保护一种用于保持和操作一个或多个注射器的装置,在对比文件 1 中也公开了这样一种装置,其中(说明书第 4 栏第 27 行至第 6 栏第 12 行,图 1、10、11)披露了如下技术特征:其中每个所述注射器具有针筒部分(4)和柱塞(7),它包括供操作者用手握持手柄装置(66)和容纳单独一个所述注射器针筒的托架(10),还包括夹子装置,用于容纳多个所述注射器的柱塞并允许对它们同时进行操作。由此可见,权利要求 11 的技术方案已经在对比文件 1 公开,两者属于相同的技术领域,达到了相同的效果。因此,权利要求 11 不符合专利法第二十二条第二款有关新颖性的规定。
- 4、对比文件 2 (说明书第 3 栏第 54 行至第 6 栏第 7 行,图 1、7-10)也影响权利要求 1、2-4、7、9-11 的新颖性。
- 5、从属权利要求 3、12 的附加技术特征分别为"所述夹子适合不同长度的注射器";" 所述夹子适合不同长度的注射器"。这些特征也在对比文件 1 中披露(图 1、7 中的附图标记 58、68 等等)。因此当其引用的权利要求不具备新颖性时,权利要求 3、12 也不符合专利法第二十二条第二款有关新颖性的规定。
- 6、对比文件 3 (说明书第 4 页第 6 行至第 7 页第 2 行,图 1-3 中的附图标记 1、2 等等) 也影响权利要求 1、11 的新颖性。

(II)

#### 一、关于权利要求书存在的其他问题

- 1、专利法实施细则第二十条第一款规定:权利要求应当简要地表述请求保护的范围。独立权利要求 1、11 主题名称一样,仅仅是技术术语的简单变换,两者的保护范围实质上一样,不符合专利法实施细则第二十二条第三款关于一项发明只写一个独立权利要求的规定,从而也不符合上述规定。申请人应该将权利要求 1、11 只保留一个独立权利要求,将另一个独立权利要求写成其从属权利要求。
- 2、专利法实施细则第二十二条第一款规定: 独立权利要求应包括前序部分和特征部分, 前序部分写明本发明与最接近的现有技术共有的必要技术特征, 特征部分以"其特征是……"或类似的用语开头, 写明本发明区别于最接近的现有技术的技术特征。独立权利要求 1 或 11 即使克服了前述的新颖性或创造性问题后, 仍然应该相对其最接近的现有技术对比文件 1、对比文件 2 或对比文件 3 划界, 以符合上述规定。

#### 二、关于说明书存在的问题

- 1、审查指南第二部分第八章第 5.2.2.2(3) 对专利法实施细则第十八条第一款之(二) 作了进一步规定:独立权利要求按照专利法实施细则第二十二条的规定撰写的,说明书背景技术部分应当记载与该独立权利要求部分所述的现有技术相关的内容,并引证反映这些背景技术的文件。因此说明书背景技术部分应该补充与该申请最相关的现有技术对比文件 1、对比文件 2 和对比文件 3 的内容。
- 2、专利法实施细则第二十四条第一款规定:说明书摘要应当写明发明专利申请所公开内容的概要,即写明发明的名称和所属技术领域,并清楚地反映所要解决的技术问题、解决该问题的技术方案的要点以及主要用途。申请人应该在说明书摘要中补充主要用途,以符合上述规定。
- 3、申请人在提交新修改的说明书时应同时根据修改后的权利要求书对说明书作适应性修改;技术方案部分和说明书摘要应相应于修改后的独立权利要求修改,以反映该独立权利要求所要求保护的技术方案的内容。

基于上述理由,该申请按照目前的文本是不能够被授权的。申请人应根据上述审查意见在指定的期限内提交新的权利要求书和/或说明书,修改时应满足专利法第三十三条的规定,不得超出原说明书和权利要求书记载的范围,如果申请人不能在该通知书规定的答复期限内克服上述缺陷或表明其具有符合所述规定的充分理由,该申请将被驳回。申请人应提供修改所涉及的原文复印件,并将修改之处用彩笔标示清楚。